

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	5235	(tachometer or tachogenerator or position adj sensor or position adj detector).ab.	USP AT	2006/12/21 11:37	
2	BRS	L2	6811	brushless adj3 motor	USP AT	2006/12/21 11:37	
3	BRS	L3	4287	commutat\$4.ab.	USP AT	2006/12/21 11:38	
4	BRS	L4	7958 9	(disk or disc).ab.	USP AT	2006/12/21 11:38	
5	BRS	L5	1	1 and 2 and 3 and 4	USP AT	2006/12/21 11:38	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	3021	(rotor or motor) adj2 position\$2.ab.	USP AT	2006/12/ 21 11:34	
2	BRS	L2	8221 8	dis\$2.ab.	USP AT	2006/12/ 21 11:34	
3	BRS	L3	3257 09	(data or information).ab.	USP AT	2006/12/ 21 11:34	
4	BRS	L4	2425 9	commutat\$5	USP AT	2006/12/ 21 11:34	
5	BRS	L5	6695 57	motor	USP AT	2006/12/ 21 11:35	
6	BRS	L6	2404 8	edge near3 lateral	USP AT	2006/12/ 21 11:35	
7	BRS	L7	0	1 and 2 and 3 and 4 and 5 and 6	USP AT	2006/12/ 21 11:35	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	3257 09	(information or data).ab.	USP AT	2006/12/ 21 11:27	
2	BRS	L2	7969 2	(disc\$2 or disk\$2).ab.	USP AT	2006/12/ 21 11:27	
3	BRS	L3	5927	(commutat\$4 or brushless).ab.	USP AT	2006/12/ 21 11:28	
4	BRS	L4	1197 20	motor.ab.	USP AT	2006/12/ 21 11:28	
5	BRS	L5	31	1 and 2 and 3 and 4	USP AT	2006/12/ 21 11:28	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	3257 09	(data or information).ab.	USP AT	2006/12/ 21 10:21	
2	BRS	L2	2876 4	(brushless or spindle) adj4 motor	USP AT	2006/12/ 21 10:22	
3	BRS	L3	3637 49	position.ab.	USP AT	2006/12/ 21 10:22	
4	BRS	L4	5750 74	disk\$2 or disc\$2	USP AT	2006/12/ 21 10:23	
5	BRS	L5	1567	1 and 2 and 3 and 4	USP AT	2006/12/ 21 10:24	
6	BRS	L6	1196 73	("318"/\$ or "360"/\$ or "369"/\$).cccls.	USP AT	2006/12/ 21 10:25	
7	BRS	L7	1364	5 and 6	USP AT	2006/12/ 21 10:25	
8	BRS	L8	1278 400	notch\$2 or edge\$2	USP AT	2006/12/ 21 10:25	
9	BRS	L9	610	7 and 8	USP AT	2006/12/ 21 10:25	